

### **Sensory Processing Disorder Checklist**

Many of the symptoms listed in the following categories are common to that particular age group. Where more than a few symptoms are found in a child, we recommend you talk to your doctor or check the STAR Institute's treatment directory (<a href="mailto:spdstar.org">spdstar.org</a>) for a professional experienced with treating Sensory Processing Disorder. \*

# Infant/ Toddler Checklist: \_\_\_\_ My infant/toddler has problems eating.

 _ My Infant/toddier refused to go to anyone but me.
 _ My infant/toddler has trouble falling asleep or staying asleep.
 _ My infant/toddler is extremely irritable when I dress him/her; seems to be uncomfortable in clothes.
 _ My infant/toddler rarely plays with toys, especially those requiring dexterity.
 _ My infant/toddler has difficulty shifting focus from one object/activity to another.
 _ My infant/toddler does not notice pain or is slow to respond when hurt.
 _ My infant/toddler resists cuddling, arches back away from the person holding him.
 _ My infant/toddler cannot calm self by sucking on a pacifier, looking at toys, or listening to my voice.
 _ My infant/toddler has a "floppy" body, bumps into things and has poor balance.
 _ My infant/toddler does little or no babbling, vocalizing.
 _ My infant/toddler is easily startled.
_ My infant/toddler is extremely active and is constantly moving body/limbs or runs endlessly.

My infant/toddler seems to be delayed in crawling, standing, walking or running.



#### **Pre-School Checklist:**

 My child has difficulty being toilet trained.
 My child is overly sensitive to stimulation, overreacts to or does not like touch, noise, smells, etc.
 My child is unaware of being touched/bumped unless done with extreme force/intensity
 My child has difficulty learning and/or avoids performing fine motor tasks such as using crayons and fasteners on clothing.
My child seems unsure how to move his/her body in space, is clumsy and awkward.
 My child has difficulty learning new motor tasks.
 My child is in constant motion.
 My child gets in everyone else's space and/or touches everything around him.
 My child has difficulty making friends (overly aggressive or passive/withdrawn).
 My child is intense, demanding or hard to calm and has difficulty with transitions.
 My child has sudden mood changes and temper tantrums that are unexpected.
 My child seems weak, slumps when sitting/standing; prefers sedentary activities.
 It is hard to understand my child's speech.
My child does not seem to understand verbal instructions



## School Age:

My child is overly sensitive to stimulation, overreacts to or does not like touch, noise, smells, etc
My child is easily distracted in the classroom, often out of his/her seat, fidgety.
My child is easily overwhelmed at the playground, during recess and in class.
My child is slow to perform tasks.
My child has difficulty performing or avoids fine motor tasks such as handwriting.
My child appears clumsy and stumbles often, slouches in chair.
My child craves rough housing, tackling/wrestling games.
My child is slow to learn new activities.
My child is in constant motion.
My child has difficulty learning new motor tasks and prefers sedentary activities.
My child has difficulty making friends (overly aggressive or passive/ withdrawn).
My child 'gets stuck' on tasks and has difficulty changing to another task.
My child confuses similar sounding words, misinterprets questions or requests.
My child has difficulty reading, especially aloud.
My child stumbles over words; speech lacks fluency, and rhythm is hesitant.



#### Adolescent/Adult:

I am over-sensitive to environmental stimulation: I do not like being touched.
I avoid visually stimulating environments and/or I am sensitive to sounds.
I often feel lethargic and slow in starting my day.
I often begin new tasks simultaneously and leave many of them uncompleted.
I use an inappropriate amount of force when handling objects.
I often bump into things or develop bruises that I cannot recall.
I have difficulty learning new motor tasks, or sequencing steps of a task.
I need physical activities to help me maintain my focus throughout the day.
I have difficulty staying focused at work and in meetings.
I misinterpret questions and requests, requiring more clarification than usual.
I have difficulty reading, especially aloud.
My speech lacks fluency, I stumble over words.
I must read material several times to absorb the content.
I have trouble forming thoughts and ideas in oral presentations.

\*While this checklist can't diagnose a child with SPD, it can be a helpful guide to see if additional testing should be done. When filling out this checklist, think about the child's behavior during the past six months.

Visit **spdstar.org**To learn more about Sensory Processing Disorder

© STAR Institute, 2006, reprinted with permission (spdstar.org)